

# NO GIMMICKS, JUST WHAT YOU NEED.

Growing up on a family farm in North Carolina, Ike Lewis turned his love of working the soil into a life-long career in the agricultural industry. He believed nature was a gift that nurtured a man's soul. Working the soil, planting seeds, and nourishing crops reinforced his guiding principles in life of faith, family, and nature, and every moment in the garden or farm allowed him to experience all three at once. Gardening was his world, and he knew it better than anyone.

That's why lke believed people should be particular about the products they choose for outdoor projects—to demand honest solutions that deliver:

# HIGH-QUALITY PERFORMANCE AT A COST THAT DOESN'T BREAK THE BANK.

That means offering professional, uncompromising products that deliver exactly what you need and nothing but; no gimmicks here. Created right here in the United States, IKE's lawn & garden chemicals, fabrics, watering solutions, and ice melt give you the freedom to grow your self-driven ambition into something greater.

Letting your hard work thrive in every project you take on, our products are guaranteed to meet or exceed the level of quality lke demanded ... that's why his name is on the package.





## **WEED ARMOR**

# 6 YEARS GUARANTEED

#### **HOME LANDSCAPING WEED PREVENTION FABRIC**

IKE'S WEED ARMOR PRO 15 Home Landscaping Weed Prevention Fabric is designed to allow air, water, and nutrients to pass through while blocking sunlight from reaching soil, stopping weeds from becoming anything more than a figment of your imagination. Intended for residential use, this strong yet lightweight 1.5 oz. polypropylene spunbond fabric ensures gardens and flower beds get exactly what they need and nothing more.



## **DESIGNED FOR**

Garden & flower beds, tree surroundings & landscape projects

### SIZES AVAILABLE\*

Roll: 3' x 50', 3' x 150'

PROPERTIES	STANDARD	UNIT	PRO 15
Weight	ASTM D 6241	gsm	50
Mullen Burst	ASTM D 3786	psi	110
Grab Tensile	ASTM D 4632	lb	50
Permittivity	ASTM D 4491	sec-1	1.44
Puncture	ASTM D 4833	lbs	40
UV Resistance (@2500 hrs)	ASTM D 4355	%	70

SIZE	CONFIGURATION	UOM	MFG#	UPC	
3' x 50'	32	Case	114563	850023114563	
3' x 150'	12	Case	114570	850023114570	



3' x 50' & 3' x 150' Sold in Case Packs

## **WEED ARMOR**

# 15 YEARS GUARANTEED

### **HEAVY-DUTY HOME LANDSCAPING WEED PREVENTION FABRIC**

IKE'S WEED ARMOR PRO 25 Heavy-duty Home Landscaping Weed Prevention Fabric is designed to allow air, water, and nutrients to pass through while blocking sunlight from reaching soil, stopping weeds from becoming anything more than a figment of your imagination. Intended for residential use, this strong 1.9 oz. polypropylene spunbond fabric ensures gardens and flower beds get exactly what they need and nothing more.

### **DESIGNED FOR**

Flower beds, gardens, planters & more

### SIZES AVAILABLE\*

Roll: 3' x 50', 3' x 100', 3' x 300', 4' x 300', 6' x 300'

PROPERTIES	STANDARD	UNIT	PRO 25
Unit Weight	ASTM D 3776	oz/yds³	1.9
Tensile Strength	ASTM D 4632	lbs	73
Elongation	ASTM D 4632	%	>70
Puncture Strength	ASTM D 4833	lbs	23
Air Opening Size	ASTM D 4751	sieve size	30
Trap Tear	ASTM D 4533	lbs	35
Permittivity	ASTM D 4491	sec-1	3.0
UV Resistance (@2500 hrs)	ASTM D 4355	%	70
Thicknose			11.5



SIZE	CONFIGURATION	UOM	MFG#	UPC
3' x 50'	32	Case	114792	850023114792
3' x 100'	12	Case	114808	850023114808
3' x 300'	1	EACH	114815	850023114815
4' x 300'	1	EACH	114822	850023114822
6' x 300'	1	EACH	114839	850023114839



### **WEED ARMOR**

ARMOR

WEED

**25** YEARS GUARANTEED

#### **COMMERCIAL-GRADE WEED PREVENTION FABRIC WITH 12" GRID**

IKE'S WEED ARMOR PRO 30 Commercial-Grade Weed Prevention Fabric with 12" Grid is designed to allow for easy alignment of potted or installed plants. It allows for air, water, and nutrients to pass through while blocking sunlight, nipping weeds in the bud. For exposed or unexposed use in nursery applications, this woven and rugged 3 oz. polypropylene fabric protects your plants and ensures they get exactly what's needed to flourish.

#### **DESIGNED FOR**

Efficient plant alignment for landscapers, nurseries & contractors

#### SIZES AVAILABLE\*

Roll: 3' x 50', 3' x 100', 3' x 300', 4' x 300', 6' x 300', 12' x 300

PROPERTIES	STANDARD	UNIT	PRO 30
CBR Puncture	ASTM D 6241	lbs	550
Tensile Strength	ASTM D 5034	lbs	160/140
Grab Elongation	ASTM D 4632	%	22/18
Permittivity	ASTM D 4491	gpm/ft²	12.8
Trapezoidal Tear	ASTM D 4355	lbs	53/65
<b>UV Resistance</b> (@2500 hrs)	ASTM D 4355	%	70
Weight	ASTM D 5261	oz/sy (gsm)	100
Roll Width		ft	3', 4', 6', 12'

3' x 50' & 3' x 100' Sold in Case Packs

SIZE	CONFIGURATION	UOM	MFG#	UPC
3' x 50'	32	Case	114587	850023114587
3' x 100'	12	Case	114594	850023114594
3' x 300'	1	EACH	114600	850023114600
4' x 300'	1	EACH	114617	850023114617
6' x 300'	1	EACH	114624	850023114624
12' x 300'	1	EACH	114631	850023114631



## **WEED ARMOR**

# **30** YEARS GUARANTEED

### PROFESSIONAL-GRADE WEED PREVENTION FABRIC

IKE'S WEED ARMOR PRO 60 Professional-Grade Weed Prevention Fabric is designed with a high puncture rating to withstand large boulders and gravel. Allowing for air, water, and nutrients to pass through while blocking sunlight, this robust fabric stops weeds from becoming anything more than a bad dream. Versatile and intended for a variety of erosion control and exposed ground uses, this ruggedly strong 5 oz. woven polypropylene (with a needle punch backing) defends your hardscape projects and lets them thrive.

Permanent landscaping, hardscaping & erosion control

#### SIZES AVAILABLE\*

Roll: 3' x 100', 3' x 250', 4' x 250', 6' x 250', 8' x 250'

STANDARD	UNIT	PRO 60
ASTM D 4833	lbs	65
ASTM D 4632	lbs	100/80
ASTM D 4632	%	12/12
ASTM D 4491	gpm/ft²	6.5
ASTM D 4533	lbs	50/30
ASTM D 4355	%	70
ASTM D 3786	psi	250
ASTM D 5261	oz/sy (gsm)	4.75/(160)
	ft	3', 4', 6', 8'
	ASTM D 4833 ASTM D 4632 ASTM D 4632 ASTM D 4491 ASTM D 4533 ASTM D 4355 ASTM D 3786	ASTM D 4833 lbs  ASTM D 4632 lbs  ASTM D 4632 %  ASTM D 4491 gpm/ft²  ASTM D 4533 lbs  ASTM D 4535 %  ASTM D 3786 psi  ASTM D 5261 oz/sy (gsm)

IkesProducts.com





SIZE	CONFIGURATION	UOM	MFG#	UPC
3' x 100'	16	Case	114648	850023114648
3' x 250'	1	EACH	114655	850023114655
4' x 250'	1	EACH	114662	850023114662
6' x 250'	1	EACH	114679	850023114679
8' x 250'	1	EACH	114846	850023114846



# **FROST ARMOR**

# FROST PROTECTION BAGS & BLANKETS

#### BREATHABLE FABRIC PLANT COVERS FOR COMMERCIAL & RESIDENTIAL USE

Old man winter doesn't stand a chance against IKE'S FROST ARMOR: protective bags and blankets that defend flowers, bushes, and small trees from early and late frosts. Lightweight and easy to use, these bags and blankets feature a breathable fabric that allows sunlight to reach plants, trapping and holding heat for survival against winter's frosty arrival-helping you defend what you have worked so hard on. Blood, sweat, tears and all.

### **KEY BENEFITS**

- Protects flowers, bushes, and small trees from frost
- Allows light rays to reach plants while covered
- Reusable
- Drawstring secures bag to plant or pot base

#### **FROST BAG SIZES\***

6'. 10'


SIZE	UOM	MFG#	UPC
6' Diameter	Case	114754	850023114754
10' Diameter	Case	114761	850023114761

#### FROST BLANKET SIZES\*

10.5' x 12'. 6' x 50'

SIZE	UOM	MFG#	UPC
10.5' x 12'	Case	114747	850023114747
6' x 50'	Case	114778	850023114778







# **IKE'S** TREE WATERING **BAGS & RINGS**

### **SLOW RELEASE HYDRATION** FOR TREES WITH 4" & 6" TRUNKS

Avoid overwatering or underwatering trees and shrubs with IKE'S TREE WATERING solutions, designed for deep root saturation with little runoff. Available as a 20 gallon bag or 15 gallon ring and constructed from a heavy-duty PVC, UV-treated material to withstand the elements, it provides continuous and even water distribution and saturation. Getting parched trees exactly what they need-and nothing more-while giving yourself more time to tackle other tasks.

#### **20 GALLON BAG\***

- Provides 6-8 hours of watering
- UV stabilized and heavy duty locking zipper for longer life
- Bag fits trunks up to 4" in diameter
- Easy installation and filling
- Improves water conservation

## 15 GALLON RING\*

- Provides 3-4 hours of watering
- Heavy-duty PVC material, withstands prolonged sun exposure
- Fits a 6" diameter tree
- Low profile, great for shrubs and small trees
- Easy installation and filling

SIZE	CONFIGURATION	UOM	MFG#	UPC
15 gallon ring	36	Case	114730	850023114730
20 gallon bag	24	Case	114723	850023114723









\*CUSTOM SIZES AVAILABLE. Rights are reserved to modify the present information without prior notice. IKE'S assumes no liability with the use/misuse of this information. Information deemed to be accurate but not quaranteed



# **WEED ARMOR LANDSCAPE**

Versatile and easy to install, IKE's LANDSCAPE PINS quickly secure landscape fabrics, stabilization fabrics, frost blankets, hoses and more to the ground-helping protect your gardens, flower beds, and other landscaping projects.

SIZE	CONFIGURATION	UOM	MFG#	UPC	
50 Count	1	Case	114853	850023114853	
1,000 Count	1	Case	114860	850023114860	



Sold in Case Pack







# SITE ARMOR

### **WOVEN STABILIZATION FABRIC**

Stop mother nature from shifting the ground beneath with IKE'S SITE ARMOR ArmorLay, a heavy-duty, woven stabilization fabric that's designed to provide superior erosion control by adding reinforcement strength to the surface, allowing for better load distribution. Professional grade with a needle-punch weave, it helps prevent surface ruts and potholes while adding stability when used as a separation fabric between rock and soil-giving you the upper hand against nature's most unpredictable impulses.

### **DESIGNED FOR**

STABILIZATION

Driveways, patios, construction entrances & more

PROPERTIES	STANDARD	UNIT	ARMORLAY
Grab Tensile	ASTM D 4632	lb	200
Grab Elongation	ASTM D 4632	%	15
Trapezoidal Tear	ASTM D 4533	lb	75
Opening Size (Max AR V)	ASTM D 4751	mm (US)	0.43 (40)
Permittivity	ASTM D 4491	sec-1	0.05
CBR Puncture Strength	ASTM D 6241	lbs	700
UV Stability	ASTM D 4355	%	70
Roll Width		ft	6', 12.5'
Roll Area		yd²	600

SIZE	CONFIGURATION	UOM	MFG#	UPC
Folded: 12.5' x 30'	1	EACH	114686	850023114686
Folded: 12.5' x 60'	1	EACH	114693	850023114693
Roll: 6' x 300'	1	EACH	114709	850023114709

### SIZES AVAILABLE

Roll: 6' x 300' Folded: 12.5' x 30', 12.5' x 60'



Folded Fabrics Sold in Case Packs

# SITE ARMOR

### STABILIZATION MATERIAL

Hold the line with IKE'S SITE ARMOR ArmorGrid, a construction-grade, highly-rigid geogrid that helps strengthen and fortify retaining walls (up to 10 feet) for the long haul.

#### **DESIGNED FOR**

Retaining walls, steep slopes and embankments

### SIZES AVAILABLE

Roll: 4' x 50'

PROPERTIES	STANDARD	UNIT	MD VALUES	XM
Aperture Dimensions	ASTM D 4759-02	mm (in)	25 (1.0)	33 (
Minimum Rib Thickness	ASTM D 4759-02	mm (in)	0.76 (0.03)	0.76
Tensile Strength @ 2% Strain	ASTM D 6637-10	kN/m (lb/ft)	4.1 (280)	6.6
Tensile Strength @ 5% Strain	ASTM D 6637-10	kN/m (lb/ft)	8.5 (580)	13.4
Ultimate Tensile Strength	ASTM D 6637-10	kN/m (lb/ft)	12.4 (850)	19.0
Junction Efficiency	ASTM D 7737-11	%	93	
Flexural Stiffness	ASTM D 7748-12	mg-cm	250,000	
Aperture Stability	GRI GG9	m-N/deg	0.32	
Resistance to Installation Damage	ASTM D 5818 and ASTM D 6637	%SC / %SW / %GP	95 / 93 / 90	
Resistance to Long Term Degradation	EPA 9090	%	100	
Resistance to UV Degradation @ 500 hrs	ASTM D 4355-05	%	100	



SIZE	CONFIGURATION	UOM	MFG#	UPC
Roll: 4' x 50'	1	EACH	114877	850023114877

# SITE ARMOR **ARMORFENCE**

#### **WOVEN SILT FENCE**

What happens on the construction site, stays on the construction site with IKE'S SITE ARMOR ArmorFence, a woven polypropylene silt fence that's designed to keep soil from washing away into nearby bodies of water or roads. Providing erosion control around a project or work site, this professional-grade, temporary barrier keeps soil exactly where it needs to be to allow for its redistribution after a project is finished-helping return ground stabilization to disturbed lands without having to truck in replacement fill dirt.

#### DESIGNED FOR

Driveways, patios, construction entrances & more

### SIZES AVAILABLE

3' x 100' with (11) 42" stakes on 10' centers

PROPERTIES	STANDARD	UNIT	ARMORFENCE
Grab Tensile	ASTM D 4632	lb	100 x 100
Grab Elongation	ASTM D 4632	%	15
Trapezoidal Tear	ASTM D 4533	lb	55
Opening Size (MaxARV)	ASTM D 4751	mm (US)	0.60 (30)
Permittivity	ASTM D 4491	sec-1	0.20
CBR Puncture Strength	ASTM D 6241	lbs	250
UV Stability (@500 hrs)	ASTM D 4355	%	70
Weight	ASTM D 5261	oz/yd² (gm²)	2.1 (70)
Roll Width		ft	3.0
Roll Area		$yd^2$	master roll

Grab Tensile	ASTM D 4632	lb	100 x 100
Grab Elongation	ASTM D 4632	%	15
Trapezoidal Tear	ASTM D 4533	lb	55
Opening Size (MaxARV)	ASTM D 4751	mm (US)	0.60 (30)
Permittivity	ASTM D 4491	sec-1	0.20
CBR Puncture Strength	ASTM D 6241	lbs	250
UV Stability (@500 hrs)	ASTM D 4355	%	70
Weight	ASTM D 5261	oz/yd² (gm²)	2.1 (70)
Roll Width		ft	3.0
Roll Area		yd²	master roll

HOM	MFG#	IIPC
		-
		-

SIZE	CONFIGURATION	UOM	MFG#	UPC	
Roll: 3' x 100'	1	EACH	114884	850023114884	

# **SITE ARMOR**

### **NON-WOVEN FILTER FABRIC**

Designed to provide superior permeability without compromising on stabilization, IKE'S SITE ARMOR ArmorFilter is a non-woven filter fabric that allows water to filter through at a high flow rate to help prevent pooling and ponding. This professional-grade fabric aids in the water filtration process by allowing water to pass through while keeping soil and sediment out-stopping spring showers and summer storms from washing out hours and hours of hard work.

### **DESIGNED FOR**

French drains, retention ponds & stabilizing non-paved driveways

## **SIZES AVAILABLE**

Folded: 12.5' x 60'

PROPERTIES	STANDARD	UNIT	ARMORFILTER
Weight (Typical)	ASTM D 5261	oz/yd²	4
Grab Tensile	ASTM D 4632	lb	100
Grab Elongation	ASTM D 4632	lb	50
Trapezoidal Tear	ASTM D 4533	lb	50
Water Flow	ASTM D 4491	gpm/ft²	140
Permittivity	ASTM D 4491	sec-1	2
CBR Puncture Strength	ASTM D 4833	lbs	65
UV Stability (@500 hrs)	ASTM D 4355	%	70

SIZE	CONFIGURATION	UOM	MFG#	UPC	
Folded: 12.5' x 60'	1	EACH	114716	850023114716	



Sold in Case Pack

# **SITE ARMOR ARMORGROW**

### **STRAW BLANKET**

Stay grounded with IKE'S SITE ARMOR ArmorGrow, a professional-grade, biodegradable straw blanket that protects grass seed on slopes and stops it from washing or blowing away-giving grass seed the chance it deserves to grow into a luxurious lawn.

- Allows light and water to reach seeds for germination
- Prevents grass seed from getting washed away by rain, or carried away by wind or birds
- Biodegradable and easy to use

#### **DESIGNED TO PREVENT**

Erosion of grass seed on slopes

#### SIZES AVAILABLE

Roll: 4' x 50'

PROPERTIES	STANDARD	UNIT	M.A.R.V.
Weight (typical)	ASTM D 6475	oz/sy	8.0
Tensile Strength	ASTM D 6818	lbs/in	10.2 (MD) / 6.2 (TD)
Elongation	ASTM D 6818	%	20 (MD) / 26 (TD)
Thickness	ASTM D 6525	in	0.28
Light Penetration	ASTM D 6567	% open	22
Water Absorption	ASTM D 1117	%	450

#### NETTING

Top Net	Synthetic Photo-degradable
Bottom Net	Synthetic Photo-degradable
Top Net Opening	0.50" x 0.50" (nominal)
Bottom Net Opening	0.50" x 0.50" (nominal)

SIZE	CONFIGURATION	UOM	MFG#	UPC
Roll: 4' x 50'	9	CASE	426429	850031426429

# A STRONG FOUNDATION STARTS WITH HARD WORK AND DETERMINATION







2022 PRODUCT CATALOG | 13

<sup>\*</sup>Seed not included



# X-OUT™ **GRASS & WEED KILLER**

### NON-SELECTIVE WEED AND GRASS CONTROL

A post-emergent, non-selective herbicide that mixes readily with water. Apply as a spray for the control of broadleaf weeds and grasses. X-Out is a foliar-active material with little to no soil-residual activity. Visual results within 2 to 4 days after application. Rainfast four hours after application.

- Provides control of a wide variety of emerged annual and perennial broadleaf weeds and grasses
- Effective pre-plant treatment for turf, ornamentals, and greenhouses due to minimal soil residual
- Reduced translocation allows clear boundaries during use and maintenance around existing ornamentals in landscape beds

#### **SPECIFICATIONS**

Active Ingredient	Glufosinate 24.5%		
Coverage	Up to 42,000 sq. ft. per quart Up to 168,000 sq. ft. per gallon		
Use Sites	Landscape areas around individual trees and shrubs, foundations, fences, driveways, schools, educational facilities, and paths		
Mix Rate	0.75 fl. oz. per gallon per 1,000 sq. ft.		
Case Pack	12 x 1 quart, 4 x 1 gallon		



CONFIGURATION	UOM	MFG#	UPC
12x1	QT	114358	850023114358
4x1	GAL	114341	850023114334

# LAWN WEED KILLER

#### **KILLS WEEDS WITHOUT HARMING GRASS**

Utilizes a combination of three selective herbicides to control a wide variety of hard-to-kill broadleaf weeds such as dandelion, clover and plantain. University trials have proven it to be an effective solution that can be safely applied to both cool and warm season grasses.

- Low odor formulation
- May be applied to woody brush in non-cropland areas

### **KILLS OVER 230 BROADLEAF WEEDS, INCLUDING:**

Burweed, Plantain, Clover, Spurge, Dandelion, Purslane, Dollarweed & more.

- \* Not for use on St. Augustine (Floratam) and Centinede
- \* Application temperature should be 65°F-85°F

#### SPECIFICATIONS

SPECIFICATIONS		
Active Ingredient	2,4-D 30.9%, MCPA 8.23%, Dicamba 2.77%	
Coverage	Up to 42,000 sq. ft. per quart Up to 168,000 sq. ft. per gallon	
Use Sites	Lawns	
Mix Rate	0.75-1.5 fl. oz. per gallon per 1,000 sq. ft.	
Case Pack	12 x 1 quart, 4 x 1 gallon	



CONFIGURATION	UOM	MFG#	UPC
12x1	QT	114006	850023114006
4x1	GAL	114105	850023114105

# **CRABGRASS & WEED KILLER**

### **CONTROLS CRABGRASS WITHOUT KILLING THE LAWN**

A selective, post-emergent herbicide that can be safely applied to many types of turf to control a variety of broadleaf and grassy weeds such as Crabgrass. Can be applied to both residential and non-residential turf from 7 days before seeding and up to 28 days after emergence on selected weeds.

- Up to 90-day control
- Able to spot treat weeds without harming turf
- Do not use on St. Augustine (including Floratam), bahiagrass, carpetgrass, centipede or dichondra

#### **KILLS OVER 50 WEEDS, INCLUDING:**

Barnvardgrass, Broadleaf weeds, Field bindweed, Crabgrass, Clover, Dandelion, Foxtail, Grassy weeds, Kikuyu grass, Morning glory & more.

### **SPECIFICATIONS**

Active Ingredient	Quinclorac 18.92%
Coverage	Up to 5,000 sq. ft. per 7.5 fl. oz.
Use Sites	Residential lawns
Mix Rate	1.5 fl. oz. per gallon per 1,000 sq. ft.
Case Pack	12 x 7.5 fl. oz.



CONFIGURATION	UOM	MFG#	UPC
12x7.5	7.5 OZ	114020	850023114020

# **BRUSH & POISON IVY KILLER PLUS**

### **WEED AND BRUSH HERBICIDE**

A selective, post-emergent herbicide designed to kill brush, unwanted trees, and perennial and annual broadleaf weeds on range and pastureland. This product will kill weeds on permanent grass pastures, rangeland, conservation reserve program acres, fence rows, roadsides, non-irrigation ditch banks, industrial sites, and non-crop areas.

- KILLS poison ivy, poison oak, blackberry, kudzu, ground ivy (creeping charlie), bramble, thistle, and other woody plants
- KILLS stumps
- Rainfast in 2 hours

#### **WEEDS CONTROLLED**

Poison ivy, Creeping Charlie, Poison oak, Bramble, Blackberry, Thistle, Kudzu, Stumps, Ground ivy & more.

#### SPECIFICATIONS

SPECIFICATIONS		
Active Ingredient	2,4-D 34.4%, Triclopyr 16.5%	
Coverage	Up to 24,000 sq. ft. per quart Up to 96,000 sq. ft. per gallon	
Use Sites	Lawns, ranges, pastureland and CRP acres	
Mix Rate	1.3 fl. oz. per gallon per 1,000 sq. ft.	
Case Pack	12 x 1 quart, 4 x 1 gallon	



CONFIGURATION			UPC
12x1	QT	114386	850023114389
4x1	GAL	114402	850023114396

# **SANDBUR & CRABGRASS PREVENTER**

#### STOPS UNWANTED WEEDS AND GRASSES BEFORE THEY GERMINATE

Provides outstanding pre-emergent control of over 20 broadleaf and over 20 grassy weeds in your landscape, turf and ornamental planting areas.

- Controls over 40 different hard-to-kill weeds and grasses
- Use on well-established turfgrass with a dense and uniform stand
- Can be used on residential and commercial turf

#### WEEDS CONTROLLED

Barnyardgrass, Foxtail, Chickweed, Goosegrass, Corn speedwell, Henbit, Crabgrass, Sandbur

#### **SPECIFICATIONS**

Active Ingredient	Pendimethalin 38.7%		
Coverage	Up to 29,000 sq. ft. per quart Up to 116,000 sq. ft. per gallon		
Use Sites	Turf - residential and commercial; landscape and grounds maintenance; ornamental plantings and tree plantations including noncropland areas		
Mix Rate	1.1-1.6 fl. oz. per gallon per 1,000 sq. ft.		
Case Pack	12 x 1 quart, 4 x 1 gallon		



ONFIGURATION	UOM	MFG#	UPC
12x1	QT	114310	850023114310
4x1	GAL	114297	850023114297

# **AMINE 400 WEED KILLER**

#### STOPS WEEDS IN WARM SEASONS

Specifically formulated for use in warmer environments (above  $60\,^{\circ}$ F), this selective herbicide controls a wide variety of broadleaf weeds in pastures, lawns, and rangeland in addition to aquatic weeds.

- Selective herbicide for warm temperatures above 60 °F
- Kills dandelions, cocklebur, thistle, bindweed, ground ivy, and more
- Controls aquatic weeds

### **WEEDS CONTROLLED:**

Dandelion, Cocklebur, Thistle, Bindweed, Ground Ivy, Puncture Vine, Smartweed, Curly Dock, Wild Garlic, Wild Onion

#### **SPECIFICATIONS**

Active Ingredient	2,4-D Herbicide Formulation 47.5%	
Coverage	Up to 42,000 sq. ft. per quart Up to 168,000 sq. ft. per gallon Up to 420,000 sq. ft. per 2.5 gallon	
Use Sites	Pastures, lawns, rangeland, aquatic weeds	
Mix Rate	0.75 fl. oz. per gallon per 1,000 sq. ft.	
Case Pack	12 x 1 quart, 4 x 1 gallon, 2 x 2.5 gallon	



CONFIGURATION	UOM	MFG#	UPC
12x1	QT	114891	850023114891
4x1	GAL	114907	850023114907
2x2.5	JUG	114938	850023114938

Amine 400 Weed Killer is pending registration.

# IKE'S

# LV 400 WEED KILLER

### **STOPS WEEDS IN COOL SEASONS**

Specifically formulated for use in cooler environments (below 60 °F), this selective herbicide controls a wide variety of broadleaf weeds in pastures, lawns, and rangeland.

- Selective herbicide for warm temperatures below 60 °F
- Kills dandelions, cocklebur, thistle, bindweed, ground ivy, and more
- For use in early or late seasons

#### PARTIAL LIST OF WEEDS:

Dandelion, Cocklebur, Thistle, Bindweed, Ground Ivy, Puncture Vine, Smartweed, Curly Dock, Wild Garlic, Wild Onion


LV 400 Weed Killer is pending registration.

#### **SPECIFICATIONS**

Active Ingredient	2,4-D Herbicide Formulation 65.4%
Coverage	Up to 42,000 sq. ft. per quart Up to 168,000 sq. ft. per gallon Up to 420,000 sq. ft. per 2.5 gallon
Use Sites	Pastures, lawns, rangeland
Mix Rate	0.75 fl. oz. per gallon per 1,000 sq. ft.
Case Pack	12 x 1 quart, 4 x 1 gallon, 2 x 2.5 gallon



CONFIGURATION	UOM	MFG#	UPC
12x1	QT	114952	850023114952
4x1	GAL	114976	850023114976
2x2.5	JUG	114990	850023114990



| IkesProducts.com

# TOTAL PEST CONTROL

#### **ODORLESS, NON-IRRITATING INSECTICIDE**

Excellent broad spectrum control of over 75 insect pests in trees, lawns, shrubs, and flowering plants. Can be used as an interior treatment for indoor pests. Prevents and kills ticks and mosquitos.

- Kills spiders, ants, roaches, mosquitos, fleas, ticks & more
- Up to 6-month protection
- Approved for indoor & outdoor use

#### PARTIAL LIST OF INSECTS CONTROLLED:

Billbugs, Carpenter ants, Clothes moths, Cockroaches, Earwigs, Fire ants, Fleas, Flies, Gnats, Mites, Mole crickets, Mosquitoes, Scorpions, Ticks, Wasps & more.

#### **SPECIFICATIONS**

Active Ingredient	Bifenthrin 7.9%
Coverage	Up to 32,000 sq. ft. per 8 fl. oz. Up to 64,000 sq. ft. per pint Up to 128,000 sq. ft. per quart Up to 512,000 sq. ft. per gal.
Use Sites	Residential lawns, interior environments, landscape ornamental
Mix Rate	0.25 fl. oz. per gallon per 1,000 sq. ft.
Case Pack	12 x 8 fl. oz., 12 x 1 pint, 12 x 1 quart, 4 x 1 gallon



CONFIGURATION	UOM	MFG#	UPC
12x1	8 OZ	114129	850023114129
12x1	PT	114068	850023114068
12x1	QT	114143	850023114143
4x1	GAL	114501	850023114501

# TOTAL GRUB CONTROL

### PROVIDES SEASON-LONG GRUB CONTROL

Works systemically to protect your lawn roots from white grub damage. Apply in spring and fall for season-long control and best results.

- Controls subterranean termites
- Also controls mole crickets, carpenter ants & more
- For best results, apply spring & late summer

### PARTIAL LIST OF INSECTS CONTROLLED:

Chinch bugs, Cutworms, European chafer, European crane fly, Green June beetle, Mole crickets, Oriental beetles, Southern masked chafer, Termites, White grubs & more.

#### **SPECIFICATIONS**

Active Ingredient	Imidacloprid 21.4%
Coverage	Up to 64,000 sq. ft. per quart
Use Sites	Residential lawns
Mix Rate	Turf/Ornamentals: 0.5 fl. oz. per gallon per 1,000 sq. ft.
Case Pack	12 x 1 quart



NFIGURATION	UOM	MFG#	UPC	
12x1	QT	114044	850023114044	

# TOTAL TREE & SHRUB PROTECTION PLUS

#### SEASON-LONG CONTROL OF CHEWING & SUCKING INSECTS

Keep your flowers and plants beautiful and insect free. Provides both systemic and foliar control of insects and pests on your roses, flowers and landscape ornamentals. Readily available to the plant, it prevents new infestations and protects trees and shrubs from insect damage.

#### PARTIAL LIST OF INSECTS:

Aphids, Borers, Caterpillar, Emerald Ash Bore, Grubs, Gypsy Moth, Hemlock Wooly Adelgid, Japanese Beetle, Lace Bugs, Leaf Beetles, Leaf Hoppers, Leaf Miner, Mealy Bugs, Pine Borer, Psyllids, Sawfly Larvae, Soft Scales, Thrips, Web Worm, Whiteflies & more.

### SPECIFICATIONS

Active Ingredient	Imidacloprid 21.4%
Coverage	0.5 tsp. per 5 gallons of water 1 pint treats up to 48 4-in. diameter trees 1 pint treats up to 192 1-in. diameter rose bushes
Use Sites	Flower beds, landscape ornamentals
Mix Rate	Trees: 0.5-1 tsp. per 10 gal. of water per in. of trunk diameter Ornamentals, flowers: 0.5 tsp. per 5 gal. per 1,000 sq. ft.
Case Pack	12 x 1 pint



CONFIGURATION	UOM	MFG#	UPC
12x1	PT	114082	850023114082

# TOTAL DISEASE CONTROL

### SIMPLIFIED, EFFECTIVE DISEASE CONTROL

A multi-purpose fungicide that can be safely applied on ornamentals, lawns, fruit trees, and vegetables to treat a large majority of major plant diseases such as brown patch, powdery mildew, black spot, and rust.

- For use on Ornamentals, Fruit & Nut Trees, Berries & Vegetables
- Treats brown patch, powdery mildew, black spot, rust, and much more
- Protects for up to two weeks

#### LIST OF DISEASES CONTROLLED:


Brown Patch, Take-all Patch, Copper Spot, Dollar Spot, Leaf Spot, Septoria, Zonate, Melting Out, Crown Rot, Leaf Smuts, Powdery Mildew, Rust, Red Thread, Spring Dead Spot, Necrotic Ring Spot, Summer Patch

#### SPECIFICATIONS

Active Ingredient	2% Myclobutanil
Coverage	Up to 1,500 sq. ft. per pint
Use Sites	Residential lawns
Mix Rate	0.75 fl. oz. per gallon per 1,000 sq. ft.
Case Pack	12 x 1 pint



CONFIGURATION	UOM	MFG#	UPC
12x1	PT	426016	850031426016





IkesProducts.com

# LAWN BOOSTER PRIME 30-0-0

#### STEADY RELEASE OF NITROGEN OVER 8 WEEKS

An environmentally friendly supplemental liquid nitrogen fertilizer designed for foliar and soil applications. 60% of the total nitrogen is derived from the slow release nitrogen (SRN) urea-triazone.

- Labeled for use on warm and cool season grasses
- Extended release of nitrogen increases yield and plant development
- Vigorous root and plant growth

### 

ooverage	Up to 53,000 sq. ft. per 2.5 gallons
Use Sites	Residential lawns
Mix Rate	Warm Season Turf: Apply 1.5-8 fl. oz. per 1,000 sq. ft. Cool Season Turf: Apply 1.5-6 fl. oz. per 1,000 sq. ft.
Case Pack	4 x 1 gallon, 2 x 2.5 gallon



CONFIGURATION	UOM	MFG#	UPC
4x1	GAL	114198	850023114198
2x2.5	2.5 GAL	114174	850023114174

# PASTURE BOOSTER PRIME 30-0-0

#### STEADY RELEASE OF NITROGEN OVER 8 WEEKS

Boost your pasture with the readily available liquid nitrogen found in this environmentally friendly pasture supplement. Contains 60% slow release nitrogen for a continuous feed.

- Labeled for use on warm and cool season pasture grass
- Extended release of nitrogen increases yield and plant development
- Vigorous root and plant growth

## SPECIFICATIONS

Coverage	Up to 215,000 sq. ft. per 2.5 gallons	
Use Sites	Pasture, hay fields	
Mix Rate	1.5 fl. oz. per gallon per 1,000 sq. ft.	
Case Pack	2 x 2.5 gallon	



ONFIGURATION	UOM	MFG#	UPC
2x2.5	2.5 GAL	114259	850023114259

# PASTURE BOOSTER PRIME 18-3-6

### STEADY RELEASE OF NITROGEN OVER 8 WEEKS

This 18-3-6 formulation is designed for both foliar and soil applications where immediate and lasting nitrogen is needed. Helps keep pastures healthy for livestock and other grazing animals.

- 50% of the nitrogen is derived from a slow-release form
- Phosphorus is derived from potassium acetate, providing up to 5x the foliar availability of traditional sources of potash
- Contains chelated micro package (iron, manganese, zinc)

#### SPECIFICATIONS

SPECIFICATIONS			
Coverage	Up to 108,000 sq. ft. per 2.5 gallons		
Use Sites	Pasture, hay fields		
Mix Rate	3 fl. oz. per gallon per 1,000 sq. ft.		
Case Pack	2 x 2.5 gallon		



CONFIGURATION	UOM	MFG#	UPC	
2x2.5	2.5 GAL	114235	850023114235	

# **GRIP STICK**

#### **IMPROVES PERFORMANCE AND LOWERS SURFACE TENSION**

High quality, general purpose nonionic surfactant that can be sprayed with insecticides, fungicides or herbicides. Reduced surface tension allows for greater contact and more uniform distribution.

- No chemical interaction with actives
- Allows for uniform delivery of spray mix
- Increases coverage
- Assists with penetration

SPECIFICAT	TIONS
Coverage	Up to 32 gallons spray solution per pint
	Up to 256 gallons spray solution per gallon

12 x 1 pint, 4 x 1 gallon

Use Sites Lawns, pasture, landscape ornamentals

Mix Rate Refer to pesticide being used for proper surfactant mix rate

	SUPER CONTRACTOR	CONCENTRATE: SUPER SALU	SORE OFFICE
1 - 02	32	RIP 🔏	
T	I MEASURE 1 SPEAT	TICK	
	1015		-
SUPER CONCENTEUR:	100	* County of the Vision of the County of the	-
LIKITON	型。	J	ikes
SILOW	-	THE RECORDERS OF CHOPS, O	ESCHOLIST (1128)
	ncien		
DANGERS MARRIED	PL INSPONSES LINES		

CONFIGURATION	UOM	MFG#	UPC
12x1	PT	114266	850023114266
4x1	GAL	114211	850023114211

# **BLOCKOUT BLUE POND DYE**

#### **IMPROVES WATER QUALITY AND CLARITY**

High quality, long lasting and safe blue pond dye. 100% safe for humans, fish, livestock, pets, birds, potable water and irrigation. Maintains color and clarity for up to 30 days, non-staining when used as directed.

- Up to 12x more efficient than typical liquid dyes
- Easy clean-up in the case of a spill
- Water is safe for recreational activity after dispersal

#### **SPECIFICATIONS**

Coverage	1 gallon treats 1 surface acre, 4-6 ft. deep
Use Sites	Lakes and ponds
Case Pack	4 x 1 gallon



CONFIGURATION	UOM	MFG#	UPC
4x1	GAL	114150	850023114150

# TANK CLEANER

### **DISSOLVES PESTICIDE RESIDUE AND PROTECTS EQUIPMENT**

Assists with or eliminating residues from spray equipment. Reduces the chance of cross contamination, which could lead to reduced efficacy and plant damage.

- Extend the life of application equipment
- Extreme alkalinity quickly breaks down acid residues
- Effective on hard-to-clean poly and fiberglass spray systems

### SPECIFICATIONS

Coverage	Up to 32 gallons spray solution per quart
Use Sites	Spray tanks, spray equipment
Mix Rate	1 fl. oz. per gallon per 1,000 sq. ft.
Case Pack	12 x 1 quart



CONFIGURATION	UOM	MFG#	UPC
12x1	QT	114419	850023114419

# **SPRAY PATTERN INDICATOR**

#### REDUCES OVERSPRAYING, SAVES TIME AND MONEY

Utilizing a blue indicator dye in your tank mix can save time and money by quickly identifying treated areas while also alerting you to equipment failure.

- Non-toxic, concentrated dye is compatible with most fertilizers, pesticides, and herbicides.
- Food-grade components

#### SPECIFICATIONS

JI LUII IUNI	IIONS			
Coverage	Up to 32 gallons spray solution per quart			
Use Sites	Turfgrass, sports fields, pastures, lawns, brush control			
Mix Rate	1 fl. oz. per gallon per 1,000 sq. ft.			
Case Pack	12 x 1 quart			



ONFIGURATION	UOM	MFG#	UPC
12x1	1 QT	114433	850023114433



IkesProducts.com



# **QUAD SELECT**

#### ICE MELTER FORMULATION

Take the edge off winter's toughest storms with IKE'S QUAD SELECT Ice Melter, providing fast and powerful results in subzero temperatures to -15 °F. Featuring a proprietary four-way chloride formula that helps prevent refreezing, this premium ice melter makes for safer walkways and easier snow removal–letting you get the job done, even when the weather doesn't want you to.

- Melts to -15 °F / -26 °C
- Helps prevent refreezing
- Uniform particle size for accurate application
- · Water-based, non-staining blue indicator dye for coverage control
- · Granular formula spray coated with magnesium

#### SIZES AVAILABLE

BAG: 10 lb. shaker, 25 lb., 50 lb.

SIZE	UOM	MFG#	UPC
10lb	BAG	426054	850031426054
25lb	BAG	426061	850031426061
50lh	RAG	426078	850031426078



# DUOMELI

### ICE MELTER FORMULATION

Don't let winter get the jump on you. Prepare with IKE'S DUOMELT Ice Melter and make safety a priority with melting power in temperatures to -5 °F. Featuring a performance blend of sodium chloride crystal enhanced with Duomelt technology, this simple and effective ice melter promotes rapid melting while minimizing corrosion—a double threat that protects both the environment and those braving through winter's most punishing storms.

- Melts to -5 °F / -21 °C
- Duomelt technology promotes rapid melting with less corrosion
- Economical and effective ice melter
- Water-based, non-staining purple indicator dye for coverage control
- · Consistently sized, enhanced sodium chloride crystal

#### SIZES AVAILABLE

BAG: 10 lb. shaker, 25 lb., 50 lb.

SIZE	UOM	MFG#	UPC
10lb	BAG	426085	850031426085
25lb	BAG	426092	850031426092
50lb	BAG	426108	850031426108



# ENTRY®

#### 100% CHLORIDE-FREE

Put safety first during winter's worst with IKE'S ENTRY® Liquid Ice Melt, providing fast and powerful results in subzero temperatures to -63 °F. A 100% chloride-free, eco-friendly solution that gets the job done in extreme weather while helping prevent refreezing, this liquid ice melter makes safety the priority–for children, pets, plants, concrete, metals, and even waterways.

- 100% chloride-free
- · Green Seal Certified
- Safe for children, pets, plants, concrete, metals, and even waterways
- Fast-acting within 30 seconds
- Eliminates messy granular tracking on surfaces
- Shovel, spray, and then melt away

#### SIZES AVAILABLE

0.5 gallon, 1 gallon, 2.5 gallon, 265 gallon

SIZE	CONFIGURATION	UOM	MFG#	UPC	
0.5 GAL	4x0.5	JUG	426115	850031426115	
1 GAL	4x1	GAL	426122	850031426122	
2.5 GAL	2x2.5	JUG	426139	850031426139	
265 GAL	1x265	TOTE	426146	850031426146	



# ICE ELIMINATOR

#### OMERED BY ENIRY

Get a head start on winter with IKE'S ICE ELIMINATOR Liquid Ice Melt, providing fast and powerful results in temperatures to 10 °F. Simple and ready to use, this pretreatment liquid ice melt features a proprietary blend of sodium and magnesium chloride that's powered by Entry® to prevent snow and ice from sticking and accumulating-stopping winter storms before they ever get a chance to leave their mark.

- Ready to use, no mixing required
- · Liquid pretreatment with ionic de-icing technology
- Protects against refreezing
- Eliminates messy granular tracking on surfaces
- · Less harmful on environment
- Safer for children, pets, plants, concrete, and metals
- · Shovel, spray, and then melt away

#### SIZES AVAILABLE

0.5 gallon, 1 gallon, 2.5 gallon, 265 gallon

SIZE	CONFIGURATION	UOM	MFG#	UPC
0.5 GAL	4x0.5	JUG	426153	850031426153
1 GAL	4x1	GAL	426160	850031426160
2.5 GAL	2x2.5	JUG	426177	850031426177
265 GAL	1x265	TOTE	426184	850031426184





IkesProducts.com



192-Count Solution Center Display



Product-Specific Displays available in 48-count and 72-count





