

IKE'S LV-400

SECTION 1: MATERIAL IDENTIFICATION

Product Name: IKE'S LV-400
EPA Reg. No.: 19713-345-98985
Product Usage: Herbicide

Manufacturer: Ike's, LLC
Address: 10025 US Hwy 264 Alt
 Middlesex, NC 27557

Emergency Telephone Numbers: CHEMTREC 800-424-9300

This product is an EPA FIFRA registered pesticide. Some of the classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Refer to SECTION 15: REGULATORY INFORMATION for explanation.

SECTION 2: HAZARD(S) IDENTIFICATION

(As defined by the OSHA Hazard Communication Standard, 29)

Signal Word:

WARNING



Classifications:

Hazard Class:

Toxicity Study:

Acute Toxicity, Oral
 Acute Toxicity, Dermal
 Acute Toxicity, Inhalation
 Skin corrosion/ irritation
 Serious eye damage / irritation
 Specific Target Organs: Single
 Specific Target Organs: Repeated
 Aspiration Liquids
 Hazard to Aquatic Environment, short term (Acute)
 Hazard to Aquatic Environment, long-term (Chronic)

Category:

Category 4
 Category 4
 Category 4
 Category 2
 Category 2B
 Category 3
 Category 2
 Category 1
 Category 1
 Category 2

Hazard Statements:

H Code:

Statement:

H302 Harmful if swallowed
 H312 Harmful in contact with skin
 H332 Harmful if inhaled
 H315 Causes skin irritation
 H320 Causes eye irritation
 H335 May cause respiratory irritation
 H373 May cause damage to organs (liver, kidneys) through prolonged or repeated exposure
 H304 May be fatal if swallowed and enters airways
 H400 Very toxic to aquatic life
 H411 Toxic to aquatic life with long lasting effects

HNOC (Hazard not otherwise classified): None available / Not applicable

Prevention:**Precautionary Statements:****Statement:**

If medical advice is needed, have product container or label at hand.
 Keep out of reach of children.
 Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Avoid breathing dust/fume/gas/mist/vapors/spray.
 Do not get in eyes, on skin, or on clothing.
 Wash face, hands and any exposed skin thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Use only outdoors or in a well-ventilated area.
 Avoid release into the environment.
 Wear protective gloves/protective clothing/eye protection/face protection.
 Use personal protective equipment as required.
 In case of inadequate ventilation, wear respiratory protection.

Response:

If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Get immediate medical advice/attention.

If Swallowed: Call a POISON CENTER or doctor/physician if you feel unwell. Treat symptomatically.

If Inhaled: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or doctor if you feel unwell.

If on Skin or Clothing: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

If exposed or concerned: None available, get medical attention.

Material released or spilled: Collect spillage

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in a cool, dry, and secure area designated specifically for pesticides and away from heat sources. Always use oldest stock first.

Disposal: Dispose of contents/container in accordance with your local or area regulatory authorities.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemical Name:</u>	<u>Synonym:</u>	<u>CAS No.:</u>	<u>EC No.:</u>	<u>RTECS:</u>	<u>% By Wt.:</u>
Active Ingredient: 2,4-Dichlorophenoxyacetic acid, 2-ethylhexyl ester*	Isooctyl ester of 2,4-Dichlorophenoxyacetic acid; 2,4-D ethylhexyl ester; 2,4-D 2EHE; 2,4-Dichlorophenoxyacetic acid, Isooctyl (2-ethylhexyl ester)	1928-43-4	217-673-3	AG8525000	65.4 %
Inert Ingredients:	N/A	N/A	N/A	N/A	34.6 %

* Equivalent to 43.4% 2,4-D acid CAS No.: 94-75-7

SECTION 4: FIRST-AID MEASURES

Have the product container, label and / or Safety Data Sheets (SDS) with you when calling a poison control center or doctor or going for treatment. You may also call CHEMTREC at 800-424-9300 for emergency medical treatment information.

Eye Contact: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If Swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Skin/Clothing Contact:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
If Inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Indication of Medical Attention and Special Treatment Needed:	Treat symptomatically. If medical advice is needed, have product container or label at hand.
Note to Physician / Important Symptoms/ Effects, Acute and or Delayed:	Contains petroleum distillate. Vomiting may cause aspiration pneumonia. If swallowed, stomach contents should be evacuated quickly in a manner which avoids aspiration. Otherwise, treatment should be directed at the control of symptoms and clinical condition.

SECTION 5: FIRE FIGHTING MEASURES

Fire Fighting Media:	Dry chemical, CO ₂ , Foam, Water mist or fog.
Fire Fighting Procedures:	Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. If water is used, use a fine water or fog to avoid contamination. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of re-ignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Hand held dry chemical or carbon dioxide extinguishers may be used for small fires. Move container from fire area if this is possible without hazard. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this SDS. Dike and collect fire-extinguishing water to prevent environmental damage and excessive waste runoff. Contact your State Pesticide or Environmental Control Agency, or nearest EPA Regional Office for guidance on disposal.
Special Protective Equipment for Firefighters:	Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections Unusual Fire and Explosion Hazards: Container may rupture from gas/vapor generation in a fire situation. Dense smoke is produced when product burns.
Specific Fire Hazards:	Flammability classification (OSHA 29 CFR 1910.1200): N/Av Flash point: > 200°F Lower flammable limit (% by volume): N/Av Upper flammable limit (% by volume): N/Av
Hazardous Combustion Products:	During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to trace amounts of: Carbon monoxide, Carbon dioxide as well as other asphyxiates.

National Fire Protection Association:

NFPA: 	Health	Fire	Reactivity		
	2	1	0		
Ratings:	4-Extreme	3-High	2-Moderate	1-Slight	0-Insignificant

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to SECTION 7: HANDLING AND STORAGE, for additional precautionary measures. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION.

Environmental Precautions:

Do not flush into surface water or sanitary sewer system. Prevent from entering soil, ditches, sewers, waterways and/or groundwater. Refer to SECTION 12: ECOLOGICAL INFORMATION.

Steps to be taken if Material is Released or Spilled:

Control the spill at its source.

Small spills: Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable and properly labeled containers. Should be damped-off and pumped into containers. Soak up remainder with absorbent material and dispose of in accordance with local regulations. Prevent entry into waterways, sewers, basements or confined areas.

Large spills: Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable and properly labeled containers. Should be damped-off and pumped into containers. Soak up remainder with absorbent material and dispose of in accordance with local regulations. Prevent entry into waterways, sewers, basements or confined areas. Refer to SECTION 13: DISPOSAL CONSIDERATIONS, for additional information. Prevent entry into waterways, sewers, basements or confined areas.

SECTION 7: HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN

Handling: **General Handling:** Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not swallow. Avoid breathing dust. Avoid breathing vapors. Do not eat, drink or smoke when using this product. Use with adequate ventilation. Wear chemical protective equipment when handling. Wear long-sleeved shirt, long pants and shoes with socks when handling. Keep away from heat, sparks and flame. Do not reuse this container. Refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION.

Storage: Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat. Keep away from unauthorized access. Do not store below 45°F (7°C). If frozen or crystallized, slowly warm to 80 to 90°F and re-dissolve by rolling or shaking container before use. Do not store near children, food, foodstuffs, drugs or potable water supplies. Always use oldest stock first.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Components:	OSHA PEL	ACGIH TLV	OTHER
2,4-Dichlorophenoxyacetic acid, 2-ethylhexyl ester	10 mg/m ³	10 mg/m ³	N/A

THIS SECTION IS FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD REFER TO THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Engineering Controls:

Ventilation: Investigate engineering techniques to reduce exposures. When handling this product proper ventilation is required to maintain exposure below the TLV. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with an eyewash facility / station and safety shower. Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

Personal Protection:

- Eye/Face Protection:** Eye contact should be avoided through the use of chemical safety glasses, goggles, or a face shield selected in regard to exposure potential. Wear chemical splash goggles to prevent vapors or mists from entering the eyes. Where there is potential for eye contact have eye flushing equipment available. Safety glasses with side-shields.
- Ingestion:** Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face thoroughly with soap and water before smoking or eating. Avoid getting wash water in eyes.
- Hand Protection:** Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Viton, Polyvinyl chloride ("PVC" or "vinyl"). The selection of gloves for a particular application and duration of use in the workplace should also be taken into account all relevant workplace factors such as, but not limited to: other chemicals which may be handled, physical requirements (cut/ puncture protection, dexterity, thermal protection), potential body reactions to gloves materials, as well as the instructions / specs provided by the supplier of gloves.
- Skin Protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.
- Respiratory Protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. When handling in enclosed areas, when large quantities of dusts are generated or prolonged exposure is possible in excess of the TLV, use a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G). For emergency conditions, use an approved positive-pressure self-contained breathing apparatus. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	Reported Value
Physical State	Liquid (Emulsifiable Concentrate)
Appearance / Color	Slight amber to Yellow brown
Odor	Mild to pungent odor
Odor threshold	No data available
pH	3.0 – 4.0
Melting point	No data available

Freezing point	<20°F
Boiling point	>315°C
Flash point	>100°C
Evaporation rate	No data available
Flammability	No data available
Lower flammability/explosive limits (LEL)	No data available
Upper flammability/explosive limits (UEL)	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	8.66 lbs. / gal.
Solubility in water	Emulsifies
Solubility in organic solvents	No data available
Partition coefficient (n-octanol/water)	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	70 cP
Explosive properties	No data available
Oxidizing properties	No data available
Dissociation Constant	No data available
% Volatiles	No data available

Property Note: The physical properties and reported values are typical values based on materials tested but may vary from sample to sample. Thus, typical values should not be construed as a guaranteed analysis of any specific lot/ batch or specification items.

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	Thermally stable at typical use temperatures and in closed containers.
Chemical Stability:	Stable under recommended storage conditions.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	Avoid heat of open flame. Avoid temperatures above 150°C (302°F). Keep away from strong acids.
Incompatible Materials:	Avoid contact with: Strong acids. Strong bases. Strong oxidizers.
Hazardous Decomposition Products:	Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon monoxide, Carbon dioxide, Chlorine-containing compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Potential routes of exposure/potential health effects:	Skin contact, Eye contact, Ingestion, Inhalation
Acute Oral:	LD₅₀ (Rat): >1,000 mg/kg
Acute Dermal:	LD₅₀ (Rat): >2,000 mg/kg
Acute Inhalation:	LC₅₀ (Rat): Aerosol, Rat >3.0 mg/L
Eye Irritation:	(Rabbit): Slight irritation
Skin Irritation:	(Rabbit): None to Slight irritation
Skin Sensitization:	(Guinea Pig): Non-sensitizer. Did not cause allergic skin reactions when tested in guinea pigs.

Chronic Toxicity: Various animal cancer tests have shown no reliably positive association between 2,4-D exposure and cancer. Epidemiology studies on herbicide use have been both positive and negative with the majority being negative.

Carcinogenicity:	Various animal cancer tests have shown no reliably positive association between 2,4-D exposure and cancer. Epidemiology studies on herbicide use have been both positive and negative with the majority being negative. IARC Listed as possible carcinogen Class 2B ACGIH Not classifiable as a human carcinogen NTP Not classifiable as a human carcinogen OSHA No data available
Genotoxicity:	In vitro genetic toxicity studies were predominantly negative. Animal genetic toxicity studies were predominantly negative.
Mutagenicity:	No data available
Teratogenicity:	No data available
Reproductive Toxicity:	In laboratory animals, excessive doses toxic to the parent animals caused decreased weight and survival of offspring.
Developmental Toxicity:	Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals. Studies in laboratory animals with 2,4-D have shown decreased fetal body weights and delayed development in the offspring at doses toxic to mother animals.
Specific target organ toxicity- single exposure:	No data available / Not classified
Specific target organ toxicity- repeated exposure:	No data available / Not classified
Other Hazards Effects:	No data available

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE

2, 4-dichlorophenoxy acetic acid, 2-ethylhexyl ester: The information presented below is for the active ingredient. This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters.

ECO-ACUTE TOXICITY

Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 is >100 mg/L in the most sensitive species tested). Material is moderately toxic to birds on an acute basis (LD50 between 51 and 500 mg/kg). Material is practically non-toxic to birds on a dietary basis (LC50 >5000 ppm).

Aquatic Toxicity:	Rainbow Trout, LC₅₀ 96 hour	250 mg/L
	Bluegill Sunfish, LC₅₀ 96 hour	525 mg/L
	Fathead minnow, LC₅₀ 96 hour	344 mg/L
	Daphnia magna, LC₅₀ 48 hour	185 mg/L
	Eastern oyster (Crassostrea virginica), flow-through, EC₅₀ 96 hour	136 mg/L
	Pink shrimp (Penaeus duorarum) sp LC₅₀	182 mg/L
	Tidewater silverside (Menidia beryllina), LC₅₀	470 mg/L
Arthropod Toxicity:	Bees, Acute LD₅₀	Oral No data available Contact No data available
	Bird Toxicity:	
	Mallard Duck, LD₅₀	>5,620 ppm
	Mallard Duck, LD₅₀ (Acute Oral)	<500 mg/kg
	Bobwhite Quail, LD₅₀	>5,620 ppm
	Bobwhite Quail, LD₅₀ (Acute Oral)	>5,000 ppm

Algal Toxicity:	Green Algae, EC₅₀	66.5 mg/L
	Blue - Green Algae, EC₅₀	153 mg/L
	Diatom Navicula sp., static, biomass growth inhibition, 5 d:	5.28 mg/L
	Duckweed Lemna sp., static, Number of fronds, 14 d:	0.58 mg/L
Soil Organism Toxicity:	Earthworm acute toxicity	No data available
Persistence and degradability:	No data available	
Bioaccumulation:	No data available	
Mobility in soil:	No data available	
Other adverse effects:	Do not contaminate water supplies, lakes, streams, ponds or drains with this product.	

SECTION 13: DISPOSAL CONSIDERATIONS

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: TRANSPORT INFORMATION

DOT:	Packages < 26 gallons	Not Regulated
	Packages ≥ 26 gallons	UN3082, Environmentally hazardous substance, liquid, n.o.s. (2, 4-D Ester), 9, PG-III, Marine Pollutant, RQ 100 Lbs.
IMDG:	UN 3082, Environmentally hazardous substance, liquid, n.o.s. (2, 4-D Ester), 9, PG-III, Marine Pollutant, RQ 100 Lbs.	
ICOA / IATA:	UN 3082, Environmentally hazardous substance, liquid, n.o.s. (2, 4-D Ester), 9, PG-III, RQ 100 Lbs.	
UN Identification No.:	UN3082	
Proper Shipping Name:	Environmentally hazardous substance, liquid, n.o.s. (2, 4-D Ester)	
Hazard Class:	9	
Packing Group:	III	
Reportable Quantity (RQ):	100 lbs.	
Environmental Hazard:	Marine Pollutant	
Freight Description:	Agricultural Herbicide Liquid, N.O.S.	
ERG Guide No.:	171	
Transport Information Note:	Not Regulated – See 49 CFR 173.132(b) (3) & 172.101 Appendix A.	

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

SECTION 15: REGULATORY INFORMATION

OSHA Hazard Communication Standard:	This product contains hazardous components as defined under the criteria of the Federal OSHA Hazardous Communication Standard 29 CFR 1910.1200.
Pesticide Registration:	This product is a pesticide registered by the Environmental Protection Agency (EPA) and is subject to certain FIFRA labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

EPA Reg. No.: 19713-345
FIFRA Label Signal Word: CAUTION
FIFRA Label Information: KEEP OUT OF REACH OF CHILDREN
FIFRA Label Information: Hazards to Humans and Domestic Animals
CAUTION: Harmful if swallowed or if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in certain individuals.

EPCRA SARA Title III Classification:

Section 302: Extremely Hazardous Substance Notification: This material is not known to contain any Extremely Hazardous Substances.
Sections 311 and 312: Immediate (Acute) Health Hazard: Yes
Delayed (Chronic) Health Hazard: Yes
Fire Hazard: No
Reactive Hazard: No
Sudden Release of Pressure Hazard: No

Section 313 Toxic Release Inventory (TRI): 2, 4-D 2-ethylhexyl ester (CAS 1928-43-4) 65.4% by weight in product expressed as Acetic Acid (2, 4- Dichlorophenoxy) - CAS No, 94-75-7) - 43.4% by weight in product.

CERCLA Reportable Quantity (RQ): 100 lbs., Acetic Acid (2, 4-Dichlorophenoxy) – [(CAS No, 94-75-7, (43.4%)).

SARA 304 Reportable Quantity (RQ): Not listed / Not available

RCRA Hazardous Waste Classification (40 CFR 261): Not listed / Not available

US EPA Toxic Substances Control Act (TSCA): All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986): 2,4-Dichlorophenoxyacetic acid, 2-ethylhexyl ester
Listed as causing: Not listed
Listing date: Not listed
Listing basis: Not listed
This product does not contain any chemicals known to the State of California to cause cancer, birth defects or any other reproductive harm.

SECTION 16: OTHER INFORMATION

Date Issued: 1/17/2022

Date Supersedes: New

Revision: New

Ike's, LLC recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.